

Aiuolatrici

FORIGO

Bed formers





Serie D25
 HP 40÷60
 kW 30÷45 |  cm 18
 inch 7



Serie D35
 HP 50÷80
 kW 37÷59 |  cm 20
 inch 8




Serie D35 Flexi
 HP 50÷80
 kW 37÷59 |  cm 20
 inch 8



Serie D45
 HP 70÷120
 kW 52÷89 |  cm 25
 inch 10



Serie D45 Flexi
 HP 70÷120
 kW 52÷89 |  cm 25
 inch 10





Tailor-made soil preparation

FORIGO



Serie D50
HP 90÷140
kW 67÷103
cm 25
inch 10



Serie D55
HP 110÷200
kW 81÷148
cm 28
inch 11



Baulatura con ruote
Bed with rear wheels

Baulatura con rullo idraulico
Bed with read hydraulic roller and cones

Baulatura con cofano baulatore
Bed with rear bed former hood




Serie DD45
HP 130÷250
kW 96÷184
cm 25
inch 10



Serie TD35
HP 180÷250
kW 133÷184
cm 20
inch 8



Serie TD45
HP 220÷300
kW 162÷221
cm 25
inch 10





Modello Model	Larghezza di lavoro Working width		Larghezza totale Overall width		Utensili -	Peso Weight
	cm	(inch)	cm	(inch)		
Serie D						
D25 - 110	110	43	150	59	44	610
D25 - 130	130	51	170	67	52	650
D25 - 150	150	59	190	75	60	680
D35 - 130	130	51	170	67	56	800
D35 - 150	150	59	190	75	64	840
D35 - 170	170	67	210	83	72	880
D35 - 185	185	73	225	89	80	910
D35 Flexi - 130	130	51	170	67	56	800
D35 Flexi - 150	150	59	190	75	64	840
D35 Flexi - 170	170	67	210	83	72	880
D35 Flexi - 185	185	73	225	89	80	910
D45 - 150	150	59	190	75	64	1000
D45 - 170	170	67	210	83	76	1040
D45 - 185	185	73	225	89	80	1090
D45 - 200	200	79	240	94	84	1140
D45 Flexi - 150	150	59	190	75	64	1000
D45 Flexi - 170	170	67	210	83	76	1040
D45 Flexi - 185	185	73	225	89	80	1090
D45 Flexi - 200	200	79	240	94	84	1140
D50 - 200	200	79	240	94	84	1300
D50 - 230	230	91	270	106	96	1400
D50 - 250	250	98	290	114	104	1490
D50 - 280	280	110	320	126	116	1600
D50 - 300	300	118	340	134	124	1720
D55 - 280	280	110	320	126	116	3200
D55 - 300	300	118	340	134	124	3400
D55 - 330	330	130	370	146	136	3600
D55 - 360	360	142	400	157	154	3800

Modello Model	Larghezza di lavoro Working width		Larghezza totale Overall width		Zappe Tines	Peso Weight
	cm	(inch)	cm	(inch)		
Serie DD						
DD45 - 150	2 X 150	2 X 59	340	134	128	3180
DD45 - 170	2 X 170	2 X 67	380	150	152	3300
DD45 - 185	2 X 185	2 X 73	410	161	160	3400
DD45 - 200	2 X 200	2 X 79	440	173	168	3480

Serie TD						
TD35 - 130	3 X 130	3 X 51	470	185	168	4200
TD35 - 150	3 X 150	3 X 59	530	209	192	4380
TD35 - 170	3 X 170	3 X 67	590	233	216	4560
TD35 - 185	3 X 185	3 X 73	635	250	240	4660
TD45 - 150	3 X 150	3 X 59	530	209	192	4800
TD45 - 170	3 X 170	3 X 67	590	233	228	4980
TD45 - 185	3 X 185	3 X 73	635	250	240	5160
TD45 - 200	3 X 200	3 X 79	680	268	252	5295

